

## SPECIFICATION

TO ALL WHOM IT MAY CONCERN:

BE IT KNOWN THAT I, GILSON WOO, a permanent resident of USA from Korea, residing at Rowland Heights, California, have invented a new and useful

## TREATMENT OF AFFLICTIONS, AILMENTS AND DISEASES

of which the following is a specification:

1930-1931 1931-1932 1932-1933 1933-1934 1934-1935 1935-1936 1936-1937 1937-1938 1938-1939 1939-1940 1940-1941 1941-1942 1942-1943 1943-1944 1944-1945 1945-1946 1946-1947 1947-1948 1948-1949 1949-1950 1950-1951 1951-1952 1952-1953 1953-1954 1954-1955 1955-1956 1956-1957 1957-1958 1958-1959 1959-1960 1960-1961 1961-1962 1962-1963 1963-1964 1964-1965 1965-1966 1966-1967 1967-1968 1968-1969 1969-1970 1970-1971 1971-1972 1972-1973 1973-1974 1974-1975 1975-1976 1976-1977 1977-1978 1978-1979 1979-1980 1980-1981 1981-1982 1982-1983 1983-1984 1984-1985 1985-1986 1986-1987 1987-1988 1988-1989 1989-1990 1990-1991 1991-1992 1992-1993 1993-1994 1994-1995 1995-1996 1996-1997 1997-1998 1998-1999 1999-2000 2000-2001 2001-2002 2002-2003 2003-2004 2004-2005 2005-2006 2006-2007 2007-2008 2008-2009 2009-2010 2010-2011 2011-2012 2012-2013 2013-2014 2014-2015 2015-2016 2016-2017 2017-2018 2018-2019 2019-2020 2020-2021 2021-2022 2022-2023 2023-2024 2024-2025 2025-2026 2026-2027 2027-2028 2028-2029 2029-2030 2030-2031 2031-2032 2032-2033 2033-2034 2034-2035 2035-2036 2036-2037 2037-2038 2038-2039 2039-2040 2040-2041 2041-2042 2042-2043 2043-2044 2044-2045 2045-2046 2046-2047 2047-2048 2048-2049 2049-2050 2050-2051 2051-2052 2052-2053 2053-2054 2054-2055 2055-2056 2056-2057 2057-2058 2058-2059 2059-2060 2060-2061 2061-2062 2062-2063 2063-2064 2064-2065 2065-2066 2066-2067 2067-2068 2068-2069 2069-2070 2070-2071 2071-2072 2072-2073 2073-2074 2074-2075 2075-2076 2076-2077 2077-2078 2078-2079 2079-2080 2080-2081 2081-2082 2082-2083 2083-2084 2084-2085 2085-2086 2086-2087 2087-2088 2088-2089 2089-2090 2090-2091 2091-2092 2092-2093 2093-2094 2094-2095 2095-2096 2096-2097 2097-2098 2098-2099 2099-2100 2100-2101 2101-2102 2102-2103 2103-2104 2104-2105 2105-2106 2106-2107 2107-2108 2108-2109 2109-2110 2110-2111 2111-2112 2112-2113 2113-2114 2114-2115 2115-2116 2116-2117 2117-2118 2118-2119 2119-2120 2120-2121 2121-2122 2122-2123 2123-2124 2124-2125 2125-2126 2126-2127 2127-2128 2128-2129 2129-2130 2130-2131 2131-2132 2132-2133 2133-2134 2134-2135 2135-2136 2136-2137 2137-2138 2138-2139 2139-2140 2140-2141 2141-2142 2142-2143 2143-2144 2144-2145 2145-2146 2146-2147 2147-2148 2148-2149 2149-2150 2150-2151 2151-2152 2152-2153 2153-2154 2154-2155 2155-2156 2156-2157 2157-2158 2158-2159 2159-2160 2160-2161 2161-2162 2162-2163 2163-2164 2164-2165 2165-2166 2166-2167 2167-2168 2168-2169 2169-2170 2170-2171 2171-2172 2172-2173 2173-2174 2174-2175 2175-2176 2176-2177 2177-2178 2178-2179 2179-2180 2180-2181 2181-2182 2182-2183 2183-2184 2184-2185 2185-2186 2186-2187 2187-2188 2188-2189 2189-2190 2190-2191 2191-2192 2192-2193 2193-2194 2194-2195 2195-2196 2196-2197 2197-2198 2198-2199 2199-2200 2200-2201 2201-2202 2202-2203 2203-2204 2204-2205 2205-2206 2206-2207 2207-2208 2208-2209 2209-2210 2210-2211 2211-2212 2212-2213 2213-2214 2214-2215 2215-2216 2216-2217 2217-2218 2218-2219 2219-2220 2220-2221 2221-2222 2222-2223 2223-2224 2224-2225 2225-2226 2226-2227 2227-2228 2228-2229 2229-2230 2230-2231 2231-2232 2232-2233 2233-2234 2234-2235 2235-2236 2236-2237 2237-2238 2238-2239 2239-2240 2240-2241 2241-2242 2242-2243 2243-2244 2244-2245 2245-2246 2246-2247 2247-2248 2248-2249 2249-2250 2250-2251 2251-2252 2252-2253 2253-2254 2254-2255 2255-2256 2256-2257 2257-2258 2258-2259 2259-2260 2260-2261 2261-2262 2262-2263 2263-2264 2264-2265 2265-2266 2266-2267 2267-2268 2268-2269 2269-2270 2270-2271 2271-2272 2272-2273 2273-2274 2274-2275 2275-2276 2276-2277 2277-2278 2278-2279 2279-2280 2280-2281 2281-2282 2282-2283 2283-2284 2284-2285 2285-2286 2286-2287 2287-2288 2288-2289 2289-2290 2290-2291 2291-2292 2292-2293 2293-2294 2294-2295 2295-2296 2296-2297 2297-2298 2298-2299 2299-2300 2300-2301 2301-2302 2302-2303 2303-2304 2304-2305 2305-2306 2306-2307 2307-2308 2308-2309 2309-2310 2310-2311 2311-2312 2312-2313 2313-2314 2314-2315 2315-2316 2316-2317 2317-2318 2318-2319 2319-2320 2320-2321 2321-2322 2322-2323 2323-2324 2324-2325 2325-2326 2326-2327 2327-2328 2328-2329 2329-2330 2330-2331 2331-2332 2332-2333 2333-2334 2334-2335 2335-2336 2336-2337 2337-2338 2338-2339 2

## **BACK GROUND OF THE INVENTION**

This invention is a result of a series of findings in my research for magnetic treatment since 1980 from which a method for holistic therapeutic effect of entire body by application of magnetism only to the hands or the head or the neck of patient was either already patented or is in pending by USA Patent Office under the title of

5 Treatment of Ailments, Afflictions and Diseases and the respective Patent number is US-5529569 June 25, 1996 and Patent application 09/570/510 July 13, 2000 and 09/722,239 April 28, 2001 which are the continuation-in-part of application 08/939,429 Sept 26, 1997.

The present invention is directed to a method of applying magnetism only to the

10 trunk of patient for holistic effect of entire body. The conventional method is holistically effective and applicable to all ailments of human body for concurrent treatment utilizing meridians of Oriental medical theory and the brain control functions of self-survival healing mechanism. However, the trunk application is uniquely effective with local pains of abdomen, chest, back, loin/waist, lower extremity and

15 related organs and parts along the respective meridian lines that run through the trunk which include bladder, gall bladder, stomach, pancreas/spleen, liver, kidney, conception, governing vessel and extra meridians of penetrating vessel, girdle vessel, yang heal vessel, eum heal vessel, yang linking vessel and eum linking vessel. The conventional method utilizes only hands, head and neck of person and the present

20 invention utilizes only trunk of person or combined with head and neck in magnetic application. When the trunk application is utilized together with head and neck magnetic application, effectiveness is increased with far less treatment time and faster healing, especially helpful in relief of pains associated with muscle tension, stiffness, inflammation and ill-symptoms of the organs in the region of body trunk and

25 lower extremities.

This is a method of pain relief and cure for holistic effect of entire body by applying negative magnetic flux, North pole, only to the trunk portion of the body

of the person treated, applying the principles of the Oriental Medicine utilizing the body's meridians known as pathway of life energy of the human body.

This method involves 2 unilateral and 6 bilateral meridians, and 6 extra meridians, and 36 unilateral acupoints and 95 bilateral acupoints that are being disposed through the entire body trunk, which are Governing Vessel of 14 acupoints, Conception Vessel of 22 acupoints, Bladder of 39 acupoints, Gall Bladder of 7 acupoints, Stomach of 19 acupoints, Kidney of 17 acupoints, Liver of 3 acupoints, Pancreas/Spleen of 10 acupoints whereas only hand, head and neck meridians are being utilized in the referenced prior art.

This method is also extremely effective in relieving pain, inflammation and distress associated with chronic ailments related with the complicated energy systems of the meridians of the trunk of the body. When magnetic fluxes are applied to the trunk as shown in the diagram of Figure 3, 4, 5, 6, 7, 8, 9, 10 and 11 of drawings for therapeutical effect, life energy pathways of the trunk meridians are directly affected.

These important elements of the energy flow channels are being stimulated or restored instantly, upon application of magnetism to the trunk, to elicit holistic therapeutical effect of entire body, thus breathing, circulation and energy flow are improved and order and balance of the energy system is restored to help body heals fast and relieves pains effectively, which are all observable and verifiable at sight.

This method enables body to sense responses from ill parts/locations and cure in progress in same way as the head, neck and two-hand method of the referenced prior art, whereas note there is no response being occurred or detected from the healthy body with no ailments by application of magnetism. This phenomenon is believed to be some form of reaction of brain sick memory recall in response to the magnetic application and further to indicate that, when body is in sickness, pathway of life-energy meridian and sensory neurons of the nervous system are being hindered by some form of blockage and, when the flow is stimulated by magnetic flux, the flow hindrance causes responses and symptoms and, when the body is in health, the pathways are all clear and wide open for free flow thus causing no response or

symptom even under magnetically stimulated condition in energy flow and neural transmission. An evidence to support this fact is that, when pain and ailment are cured by magnetic flux, all such responses and symptoms are gone and disappeared.

5 Magnets and magnetism have heretofore been utilized in the treating of human disease and afflictions. Any magnet configured and sized to cover substantially the treatment area of the trunk can be used for this method as long as it produces a sedative and healing effect in a range of 30 $\phi$  to 250,000 $\phi$  total flux and the north pole surface is flat and smooth for good contact to the trunk. Total flux of up to 5,000 $\phi$  is believed to be ideal for pain control and management of sedative effect and total  
10 flux of above 5,000 $\phi$  is believed to be good for healing cure effect.

In comparison with the referenced method of prior art, this method of utilizing trunk is more beneficial in some ways: more effective in relieving pains of related meridians such as organs of liver and gall bladder, kidney and bladder and digestive systems covering abdomen, chest/ribs, back, waist/loin/hip, thigh, leg, foot, and easy  
of 15 balanced treatment, etc.

Magnetic application in terms of alternative medicine or natural energy medicine has been widely recognized in the Western in recent years although this has been primarily an Oriental practice. Many innovative methods of magnetic treatment have been introduced, yet there is much left to be done for improvement.

20 Therefore, a general object of the present invention is to provide treatment for a wide variety of ailments and diseases for holistic effects, except for those requiring surgical treatment.

An object of the present invention is to provide such a method which utilizes magnetism applied to a portion of the trunk of a person, thus to provide concurrent  
25 treatment of a plurality of ailments and afflictions of the entire body for holistic effect.

An object of the invention is to provide such treatment utilizing magnetism in simplified methods that can be practiced without specialized professional knowledge.

An object of the invention is to provide such methods that provide recovery from fatigue and which provide energetic, vigorous feelings.

- 5        An object of the invention is to provide such methods that provide substantial cures, relief of pain and rapid healing.

An object of the invention is to provide such methods that provide breathing control and/or improved circulation of the blood of the person to allow an optimum condition of the body systems,

- 10        An object of the invention is to provide methods and techniques of treatment utilizing magnetism, independently of meridians or acupuncture points according to Oriental medicine.

An object of the invention is the provision of such a method which is economical and effective.

- 15        An object of the invention is the provision of such methods which, properly utilized, are safe and involve no harm to a patient and no adverse reaction or sequelae.

- An object of the invention is the provision of such methods which involve the effecting of a balance of the energy systems of the body, in accordance with Oriental  
20    medicine theories, in treating ailments and applications.

[illegible]

5           A north pole surface of a magnet is applied to the person, only to a portion of the trunk.       Contact with magnet is maintained for a sufficient time period or periods to provide substantial alleviation or cure.       The magnetic strength or total flux applied to the head may typically be from about 30φ to about 250,000φ total flux.       The magnet may be maintained in contact with the person for 10 a time period sufficient for the eliciting of substantial alleviation or cure.       Magnet means are provided for application to the portion of the trunk of a person being treated, with a north pole surface of the magnet means configured to engage the portion or the area of the trunk of the person.

## **BRIEF DESCRIPTION OF THE DRAWINGS**

Figure 1 is a perspective view showing a designated treating region utilized in the invention in the application of magnet means to the body trunk of a person;

Figure 2 is a perspective view showing a side trunk with a designated treating region utilized in the invention in the application of magnet means to the body trunk of a person.

Figure 3 is a perspective view showing the application of trunk of a person to magnet means of applying a magnet to the entire area of the body trunk;

Figure 4 is a perspective view showing the partial application of magnet means with a magnet to a subregion of the trunk of a person in horizontal order;

Figure 5 is a perspective view showing the partial application of magnet means with multiple magnets to a subregion of the trunk of a person concurrently in horizontal order;

Figure 6 is a perspective view showing the partial application of magnet means with multiple magnets to all subregions of the trunk of a person together concurrently in horizontal order;

Figure 7 is a perspective view showing the partial application of magnet means with a magnet to two subregions of the trunk of a person concurrently in horizontal order;

Figure 8 is a perspective view showing the partial application of magnet means with multiple magnets to two subregions of the trunk of a person concurrently in horizontal order;

Figure 9 is a perspective view showing a combined treatment of trunk, neck and head together concurrently;

Figure 10 is a perspective view showing the partial application of a magnet means with a magnet to all subregions of the trunk of a person concurrently in horizontal order;

Figure 11 is a perspective view showing the partial application of a magnet means with multiple magnets to all subregions of the trunk of a person concurrently in horizontal order;

Figure 12 is a perspective view showing a trunk band utilized for a partial concurrent treatment with multiple magnets for a region of the trunk of a person.

FIG. 9



## DESCRIPTION OF THE PREFERRED EMBODIMENT

According to the present invention magnet or magnets are applied to the body trunk of the person being treated. The method of trunk magnetic treatment involves application of magnetism by attaching a magnet directly to the designated treatment area of the body trunk only to elicit holistic therapeutical effect of the body.

In utilizing the method, where affliction or chronic ailment is treated, the trunk is subjected to the magnetic treatment according to the invention.

The method is an effective and powerful method of holistic treatment.

The affliction, ailments and diseases of the entire body of a person may be treated concurrently by application of magnet means to the area of the trunk of the person.

In this method, magnets are applied directly to the designated area of the trunk of a patient. ~~A particular area of the trunk where the meridians are disposed is being designated for holistic therapeutical effect and its size is about 559 square inches, 43 inches long and 13 inches wide reflecting an entire area of the trunk of the body of a person, as shown in Figure 1 and 2.~~ *Pat* The designated area of the trunk covers all the way around its trunk in about 13" wide, and many meridians are being disposed in the area of the body trunk. The governing vessel meridian is disposed through the median line of the spinal column which is the intermediate line of the back part of the body, and the Conception meridian is disposed through the navel of the body which is the intermediate line of the front part of the body, and the meridians of Bladder, Gall bladder, Stomach, Pancreas/Spleen, Liver, Kidney, and Extra meridians of Penetrating Vessel, Girdle Vessel, Yang Heal Vessel, Eum Heal Vessel, Yang Linking Vessel and Eum Linking Vessel are disposed on both side of the front and back median lines of the trunk. Thus, there are 2 unilateral meridians and 12 bilateral meridians, altogether 14 meridians, and 36 unilateral acupoints and 95 bilateral acupoints, altogether 131 acupoints, that are being disposed in the designated area involving the trunk method of holistic treatment. However, the 131 acupoints on the trunk area are normally used by acupuncture technics to treat the ailments associated with local pains of trunk and its meridian and organ, and they provides no means of holistic effects of entire body. But by applying magnetism to the area as

a whole in accordance with the invention provides an effective means of holistic  
therapeutical effect of whole body. In order to elicit such a holistic therapeutical  
effective and balanced treatment, the whole area of the round trunk may be divided into  
3 regions such as chest region "A", upper abdominal region "B" and lower abdominal  
5 region "C" of the trunk by drawing a horizontal line across around the entire trunk of  
the body from the plexus and navel of the body, as shown in Figure 1 and 2 of the  
drawings. These regions are treated horizontally along the way around the trunk by  
applying magnet or magnets in horizontal order in parallel to the subregional division  
lines. Thus, all meridians disposed in the body trunk are affected simultaneously  
10 and equally in balance, regardless of what subregion or horizontal zone is used, and  
thereby afflictions of all ailments related with the trunk meridians and its organs are  
treated concurrently and holistically. All regions of the trunk may be treated  
together as a whole, as shown in Figure 3, or partially by region at a time  
independently or consecutively, as shown in Figure 4 and 5, or partially by all regions  
15 together, as shown in Figure 6, 7, 8, 10 and 11 of the drawings.

The region "A" is preferably utilized when chest is in pain or sick, and the  
region "B" is preferably utilized when upper abdomen is in pain or sick, and the region  
"C" is preferably utilized when lower abdomen is in pain or sick.

When chest and all abdomens are in pain or sick, use all subregions  
20 concurrently, or just use "A" or "B" or "C" region alone independently because it all  
produces a holistic effectiveness for the entire body. This trunk method may be  
utilized with the head and neck method together concurrently to increase effectiveness  
with less time of treatment which is extremely helpful especially in relieving pains in  
the region of chest, abdomen, back, spinal column and lower extremities, and  
25 symptoms of inflammation, stomach trouble, diarrhea, lumbago, cramp, neuralgia,  
etc.

The method of trunk treatment by utilizing magnet or magnets are described as  
follows; Magnet or magnets are attached directly to the trunk in the designated  
area, as shown in Figure 3, 4, 5, 6, 7, 8, 10 and 11 of the drawings. The magnet  
30 or magnets may be applied evenly to the entire treating area all the way around the  
trunk in parallel to the horizontal subregional lines, concurrently with an equal total

flux, as shown in Figure 2 and 6 of the drawings, or partially by region at a time, as shown in Figure 4 and 5 of the drawings, independently or consecutively one by one with an equal total flux and an equal amount of treatment time, or partially by all regions together concurrently, as shown in Figure 10 and 11 of the drawing, with an  
5 equal total flux and an equal amount of treatment time.

In utilizing partial treatment by region at a time, or all regions together, balanced treatment should be practiced by using an equal total flux and an equal amount of treatment time.

Partial treatment may be practiced with any number of magnets sized more than  
10 1/8" in diameter. Number of magnets used is determined by size and total flux of the magnet based on repelling and pulling power. When applying multiple magnets for partial treatment of a region or regions together, magnets are placed and spaced apart one another at an equal distance through out a region or regions of the trunk, in parallel with the horizontal subregional line, as shown in Figure 4, 5, 6, 7, 8, 10  
15 and 11 of the drawings, so that magnets are placed evenly around the trunk of the body. Thus, all parts of the trunk and its meridians are treated equally of total flux for balanced treatment. When utilizing a combined method of the trunk, neck and head together, magnets should be applied concurrently in same way as to produce a balanced treatment effect for all regions involved with the combined  
20 method, as shown in Figure 9, with same total flux and an equal amount of treatment time. In the case of using the combined method, applying magnets by region consecutively at a time is not appropriate because too many meridians are involved with the trunk, neck and head that make difficult to achieve a balanced treatment.

In applying magnetism to the trunk of a patient, the magnets are preferably  
25 configured and sized to cover partially or substantially the regional area of the body trunk, and preferably to cover substantially around the entire regions of the trunk of the patient. Only the north pole of a magnet is applied.

In utilizing the area in the regions in application to the body trunk of a patient, it is typically and ordinarily necessary, in order to avoid a imbalance treatment in

accordance with the Oriental medical theory, to apply magnet or magnets with an equal total flux for each and all treating area of the regions with an equal amount of treatment time for a balanced treatment. And, in addition, the balanced concept should also be applied by using the median line of the body which divides the trunk  
5 into a half, left and right, and the horizontal lines dividing the trunk into three parts, in order to avoid an imbalance condition of the body systems.

Accordingly, when applying magnet or magnets around the trunk in parallel to the horizontal lines, always place the magnets evenly at an equal distance, as shown in Figure 3 and 4 of the drawings, so that a balanced treatment is possible with an  
10 equal distribution of magnetic flux for each and every side of the trunk, and this practice should be applied to all magnet sizes used under this trunk method of magnetic application.

Any magnet, permanent or electromagnet, or solid or flexible, may be utilized.

Typically, a flat magnet is employed, thus to provide well contact and  
15 substantially equal magnetic flux over the area of the trunk.

In applying magnets to the trunk of a patient, it is desirable that magnets of equal size and total flux are applied evenly to whole area of the trunk and, in addition, for treatment partially by regions of the trunk together, equal time of treatment should be practiced for a balanced treatment. The magnet may have any  
20 configuration appropriate to the area to which it is to be applied, such as square, rectangular, circular, oval, disc, bar or flexible. The size of the magnet should be such as to cover the entire regions of the trunk or only the subregions of the trunk or only a part of the subregions, at least more than 1/8" inch diameter. <sup>163</sup> Practically, any  
~~size appropriate for the trunk is usable, however, the range of the magnet size preferred~~  
25 ~~for this trunk method is from 1/8" x 1/8" to 13" x 43".~~ Any magnet within this range of size can be effectively used.

In applying magnet means to the trunk, magnet or magnets are attached to the trunk skin in the designated area of the trunk by using elastic band, trunk-shaped wrapper or cover with Velcro fasteners for well contact, as shown in figure 3, 4, 5,  
30 6 and 12 of the drawings.

Elastic band may include wraparound belts to securely hold the magnets sewn-in or encased in fabric lining, or adjustable Velcro type fasteners.

The magnet is positioned so that it is not readily removable or separable from the skin of the trunk of the patient in order to be properly effective.

- 5       Magnets should be contacted well to the skin of the trunk so that no gap between magnet and skin is allowed. As disclosed in the prior art of the head, neck and two-hand method, the closer contact to the skin for magnet the better for effectiveness and, on the contrary, the farther from the skin the lesser effective.

- 10       The method is applicable for all afflictions, ailments and diseases associated with trunk and its meridians. As stated, the method is extremely effective according to the invention, and serves to treat concurrently various or all afflictions and ailments of the entire body of a person. The method also serves to energize the person and relieve tiredness.

- 15       Effectiveness and applicability of the method are all observable at treatment site and easily verifiable instantly by patient during treatment in same way as prior art of head, neck and two-hand magnetic method.

- 20       Treatment may begin with a relatively low power magnet, with successive application of magnets of increasing strength in accordance with the progress, response and feeling of the patient relative to relief. Typically, response is felt after 15 minutes, and within 30 minutes the patient can sense a cure in progress and a good feeling. Fifteen to ninety minutes of application is the optimum period for most effective treatment of most ailments or diseases.

- 25       The treatment time is typically 15 to 180 minutes, typically once or twice daily at interval of about 2-10 hours depending on total flux used and condition of the ailments or as often as needed whenever pain occurs.

The north side of the magnet is applied directly to the area of the trunk and is left in place for 15 to 180 minutes. Pain is typically then gone.

Treatment commences upon application of the magnet and typically extends from 15 to 180 minutes, one or two times per day, at intervals of about 2-10 hours, or as

often as needed whenever pain occurs.

At the end of each treatment, the magnet or magnets are removed. Most ailments or diseases are cured or greatly alleviated with one or two treatments.

Treatment may be repeated until complete cure is effected. The treatment  
5 may be repeated at intervals in accordance with need and progress. For relatively serious or long-term ailments, treatment may extend for many days, and even for a few months or more. The effectiveness of treatment extends for about four to ten hours after removal of the magnet or magnets. Relatively simple or minor ailments or complaint is cured with one or two treatment.

10 The criterion used in this invention for therapeutic effectiveness and operativeness was "Did all pains of patient relieved concurrently from whole body within 15 minutes to two hour of each treatment session and did any side effect occurred or accompanied and did patient detect ailment and progress of cure and did patient feel energized".

15 Applying north pole of the magnet to the designated area of the trunk of the patients, in accordance with the invention, relieves all pains related with the trunk meridians of the body concurrently, regardless of cause and location, showing holistic total effectiveness for whole body of the patient. Of various medical treatments, utilizing magnet means to the trunk in accordance with the invention is  
20 found to be very effective to cope with pains and affliction.

In practice of this holistic treatment, cause, location and names of ailments involved are not considered as important factors for treatment because all pains and afflictions associated with various ailments of whole body including chronic diseases are treated holistically and concurrently with excellent result of pain relief  
25 and cure, which are all observable and verifiable at site while treated within 15 minutes to three hours with no waiting time period for the treatment result, unlike conventional method. And in addition, patients can detect own ailments and cure in progress and final result as well by symptoms occurred in response to the magnetic application

to the trunk, and patients treated become energized and feel a power or strength in arms and wrists, especially when awaked in the morning.

Introduced below shows a typical example of the holistic total treatment for afflictions of all ailments of entire body for which the magnet device and the method were utilized - male patient, 68 years old, suffering from constant pain symptoms of chest-heartburn, stomachache, backache, lumbago, bladder-cystitis, hemorrhoid and neuralgia for many years, was treated with this trunk method by utilizing 13 magnets of 1"D x 0,875T" with about 5,000φ total flux for one or two times every day. The pain symptoms were relieved holistically every time treated and the overall pain symptoms were substantially relieved with about two month treatment which is a remarkable result. The patient was able to live normal life in free of pain.

Normally, it is impossible to cure or manage such symptoms in two month with the conventional method.

In proceeding according to the invention, the person or patient is preferably in a prone position or seated or any position comfortable for the application of magnetism. Magnet means may be applied to the trunk while the person is in a standing, sitting, or recline position.

During the treatment, afflictions, ailments and diseases of a person are detected and sensed by the responses and symptoms of the person in response to the application of the magnetism in same way as prior art of two-hand or head or neck magnetic method. The patient may sense responses involving complex symptoms, such as pain, strain, tightness, itch, warmth, coldness, etc. Such symptoms may be mixed and continue until the spot is cured or relieved. The cure in progress is sensed by the person during the application of magnetism in accordance with the invention.

The response or reaction of the patient to the trunk treatment may involve the entire body. Symptoms occur from all diseased or afflicted areas of the body of the patient, and symptoms are usually continued until all ailments and diseases are greatly alleviated or cured. When all ailments are cured, all symptoms and responses are completely gone and this happens only when there is no ailment

in the body. Thus there is no symptom or response occurring from healthy body even under magnetic application to the trunk or neck or head or hands. Such phenomenon is all observable and verifiable instantly by patient at treatment site while in treatment. As stated earlier, after application of the magnet for an  
5 appropriate time, the patient senses a response and therapeutical effect of cure in progress.

For internal illnesses or ailments or chronic diseases, after 15 minutes of application of the magnets to the trunk, a response or reaction occurs in the patient, and the patient can sense a good response and active curing in 15 to 60 minutes of  
10 treatment. After approximately 90 minutes of application of the magnet, the response or reaction of the person's body gradually diminishes, the patient's body becomes relaxed, and a feeling of well- being permeates the patient's body.

This point in time of a treatment may be called as a balanced treatment point.

When balanced point is reached through the course of a treatment whole body  
15 becomes relaxed and then all pains and afflictions are gone with a feeling of well being.

At this very moment treatment should be stopped immediately - magnets should be removed from the trunk skin, otherwise, the balance point may be reversed by over-treatment with a result of less effectiveness and a possible side effect.

Therefore, in accordance with the balance concept of Oriental medical theory,  
20 the point of being relaxed, easy state of human body occurring during a treatment is believed to be the exact point of a well balanced state of harmony in body systems in treatment. The magnet may typically be applied for 15 to 180 minutes and for not more than 180 minutes of a maximum balanced point, in order to prevent over-balanced treatment. Such balanced point in treatment is also  
25 dependent upon and is affected by factors including total flux, distance between magnet and skin, and condition of ailment and thereby each person might have a different balanced point.

However, in most cases, the balance points of treatment are within a range of



15 to 180 minutes. Therefore, the magnets may be applied within the specified time period needed to produce therapeutic effect and the following schedule may preferably be observed in the trunk treatment:

5 Treatment: 15 - 180 minutes  
Resting time: 2-10 hours  
Frequency: 1-2 times daily/ whenever pain occurs

In application of magnetism to the trunk of body of person, virtually all magnet, permanent and electromagnet, including weak magnets may be used and are all effective, whereas only relatively strong magnets with a total flux of more than 5,000 $\phi$  are utilized in the referenced prior art of two-hand method. Permanent magnets are preferred for economic reasons, but electromagnets can be utilized to advantage because their power can be varied or desired, within design limitations.

The range of total flux for magnets used is about 30 $\phi$ -250,000 $\phi$  and such total flux is measured at 0.001" from the north pole surface of the magnet means. ~~The size of the magnet may typically be 1/8" x 1/8" to 13" x 43".~~ <sup>1/2</sup> The size of <sub>ay</sub>

The effectiveness and curative results increase with increase of flux density(gauss) and total flux of the magnet applied to the person. The total flux applied to the patient is considered to be of key importance.

The following formula sets forth the relationship between total flux, flux density and magnet pole area:

$$\phi = BA$$

Where:  $\phi$  = total flux

B = flux density in gauss

A = area

25 Magnetic application to the trunk has been found to be very safe, however, only for precaution, magnets should not be utilized in treating infants, pregnant women

